WEST Search History for Application 10739354

Creation Date: 2009071508:25

Query	DB	Op.	Plur.	Thes.	Date
(generat$4)near5(first near4 seed)with(server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-01-2008
(generat$4)near5(second near4 seed)with(client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-01-2008
((generat$4)near5(first near4 seed)with(server)) and ((generat$4)near5(second near4 seed)with(client))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-01-2008
dynamic near4 seed	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-01-2008
(dynamic near4 seed) and key near3 manager	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-01-2008
(generat$4)near5(first and second)with(seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-01-2008
((generat$4)near5(first and second)with(seed)) and (first and second)with(key)	PGPB, USPT, EPAB, JPAB,	OR	YES		08-01-2008

	DWPI, TDBD				
((generat$4)near5(first and second)with(seed) and (first and second)with(key)) and dynamic near4 seed	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-01-2008
(generat$4 or creat$4)near5(first near4 random near3 number)with(server or host)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-01-2008
((generat$4 or creat$4)near5(first near4 random near3 number)with(server or host)) and (generat$4 or creat$4)near5(second near4 random near3 number)with(client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-01-2008
(application near4 key)near4(derive)near5(seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
(generat$4 or creat$4)near5(responsiv$3 or after)with(authenticat$3)near5(first near4 seed or random near3 number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
((generat$4 or creat$4)near5(first near4 random near3 number)with(server or host)) and (generat$4 or creat$4)near5(second near4 random near3 number)with(client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
(generat$4 or creat$4)near5(first near4 random near3 number)with(server or host)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
		OR	YES		08-02-2008

((generat$4)near5(first and second)with(seed) and (first and second)with(key)) and dynamic near4 seed	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
(new or updat$4)with(application near4 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
((new or updat$4)with(application near4 key)) and dynamic near3 seed	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
(EAP or extensible near3 authentication near3 protocol) and ((new or updat$4)with(application near4 key))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
380/268.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
713/171.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
713/182.ccls. and(first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
726/2.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB,	OR	YES		08-02-2008

	DWPI, TDBD				
380/277.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
380/278.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
380/285.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
380/44.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
380/46.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
380/47.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
Chad near Fors.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
Kashyap near Kamdar.in.		OR	YES		08-02-2008

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
Rejesh near Pazhyannur.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
Motorola.as. and (application near3 key and seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-02-2008
(generat$5 or creat$5)near8(first near dynamic near seed)with(host or server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
(generat$5 or creat$5)near8(second near dynamic near seed)with(client or workstation or computer or pc)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
(generat$5 or creat$5)near5(second near application near key)near5(independent$5)with(client or workstation or computer or pc)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
((generat$4)near5(first near4 seed)with(server)) and ((generat$4)near5(second near4 seed)with(client))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
((generat$4 or creat$4)near5(first near4 random near3 number)with(server or host)) and (generat$4 or creat$4)near5(second near4 random near3 number)with(client)	PGPB, USPT, EPAB, JPAB,	OR	YES		01-29-2009

	DWPI, TDBD				
((new or updat$4)with(application near4 key)) and dynamic near3 seed	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
(EAP or extensible near3 authentication near3 protocol) and ((new or updat$4)with(application near4 key))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
(generat$4 or creat$4)near5(responsiv$3 or after)with(authenticat$3)near5(first near4 seed or random near3 number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
380/268.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
713/171.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
713/182.ccls. and(first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
726/2.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
		OR	YES		01-29-2009

380/277.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
380/278.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
380/285.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
380/44.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
380/46.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
380/47.ccls.and (first and second)with(application near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
((generat$4)near5(first and second)with(seed) and (first and second)with(key)) and dynamic near4 seed	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
Chad near Fors.in.	PGPB, USPT, EPAB, JPAB,	OR	YES		01-29-2009

	DWPI, TDBD				
Kashyap near Kamdar.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
Rejesh near Pazhyannur.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
Motorola.as. and (application near3 key and seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		01-29-2009
layer near 2 near authentication and (seed near value or dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
(application near key) and (network near layer near authenticat$6)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
(application near key) and (dynamic near seed or seed near value)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
((application near key) and (dynamic near seed or seed near value)) and (EAP-SIM or EAP-AKA or EAP-TLS or extensible near authentication near protocol)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
		OR	YES		07-08-2009

((application near key) and (dynamic near seed or seed near value)) and (data near link near layer or extended near authenticat$6 or XAUTH)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
((application near key) and (dynamic near seed or seed near value)) and (layer near 2 or layer near 3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
(application near key$2) and (dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
(first near application near key and second near application near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
(lower near layer or layer near 2 or data near link near layer) and (dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
((layer near 2)with(client) and (layer near 2)with(server)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
((EAP and SIP) and (layer near 2 and layer near 3)) and (key$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-08-2009
(application near key) and (key near manager)	PGPB, USPT, EPAB, JPAB,	OR	YES		07-08-2009

	DWPI, TDBD				
380/268.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-13-2009
713/171.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-13-2009
(authenticat$5)near(application$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((authenticat$5)near(application$2)) and (dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(dynamic near seed) and (application near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((authenticat$5)near(application$2)) and (application near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((authenticat$5)near(application$2) and (application near key)) and (server and client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
		OR			07-13-2009

((authenticat$5)near(application$2) and (application near key) and (server and client)) and (random near number or seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
(dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(generat$5 or creat$5)near(seed or random near number)with(key$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((generat$5 or creat$5)near(seed or random near number)with(key$2)) and ((authenticat$5)near(application$2))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((generat$5 or creat$5)near(seed or random near number)with(key$2) and (authenticat$5)near(application$2)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(authenticat$5)near(application)with(client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((authenticat$5)near(application)with(client)) and (authenticat$5)near(application)with(server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((authenticat$5)near(application)with(client) and (authenticat$5)near(application)with(server)) and (seed or random near number)	PGPB, USPT, EPAB, JPAB,	OR			07-13-2009

	DWPI, TDBD				
(Mutual near authenticat$5)near(client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(generat$5 or creat$5)near(key$2)near(authenticat$5)with(application or software)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(application)with(level)near(authenticat$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((application)with(level)near(authenticat$5)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((dynamic near seed)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(application adj keys)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((application adj keys)) and (layer near 2 and layer near 3)		OR			07-13-2009

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
((application adj keys) and (layer near 2 and layer near 3)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((application adj keys) and (layer near 2 and layer near 3)) and (client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(authenticat$5)near(application$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((authenticat$5)near(application$2)) and (dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(dynamic near seed) and (application near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((authenticat$5)near(application$2)) and (application near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((authenticat$5)near(application$2) and (application near key)) and (server and client)	PGPB, USPT, EPAB, JPAB,	OR			07-13-2009

	DWPI, TDBD				
((authenticat$5)near(application$2) and (application near key) and (server and client)) and (random near number or seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(generat$5 or creat$5)near(seed or random near number)with(key$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((generat$5 or creat$5)near(seed or random near number)with(key$2)) and ((authenticat$5)near(application$2))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((generat$5 or creat$5)near(seed or random near number)with(key$2) and (authenticat$5)near(application$2)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(authenticat$5)near(application)with(client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((authenticat$5)near(application)with(client)) and (authenticat$5)near(application)with(server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
		OR			07-13-2009

((authenticat$5)near(application)with(client) and (authenticat$5)near(application)with(server)) and (seed or random near number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
(Mutual near authenticat$5)near(client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(generat$5 or creat$5)near(key$2)near(authenticat$5)with(application or software)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(application)with(level)near(authenticat$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((application)with(level)near(authenticat$5)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((dynamic near seed)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(application adj keys)	PGPB, USPT, EPAB, JPAB,	OR			07-13-2009

	DWPI, TDBD				
((application adj keys)) and (layer near 2 and layer near 3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((application adj keys) and (layer near 2 and layer near 3)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((application adj keys) and (layer near 2 and layer near 3)) and (client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(destroy$5 or delet$5)with(key$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((destroy$5 or delet$5)with(key$2)) and (first near authenticat$5 and second near authenticat$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(layer near 2 and layer near 3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((layer near 2 and layer near 3)) and (key$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
		OR			07-13-2009

((layer near 2 and layer near 3) and (key$2)) and (random near number or seed or dynamic near key or dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
((layer near 2 and layer near 3) and (key$2) and (random near number or seed or dynamic near key or dynamic near seed)) and (client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((layer near 2 and layer near 3) and (key$2) and (random near number or seed or dynamic near key or dynamic near seed) and (client and server)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(layer near 2)with(client) and (layer near 2)with(server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((layer near 2)with(client) and (layer near 2)with(server)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(EAP and SIP)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((EAP and SIP)) and (layer near 2 and layer near 3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((EAP and SIP) and (layer near 2 and layer near 3)) and (key$2)	PGPB, USPT, EPAB, JPAB,	OR			07-13-2009

	DWPI, TDBD				
(application near key) and (key near manager)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(generat$5 or creat$5 or comput$5 or calculat$5)with(client or workstation or computer or laptop or pda or mobile near device or black near berry or cell near phone or wireless near device)near(seed or random near number)same(generat$5 or creat$5 or comput$5 or calculat$5)with(server or host)near(seed or random near number) and (@ad<"20031218" @prad<"20031218" @rlad<"20031218")	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(generat$5 or creat$5 or comput$5 or calculat$5)near(key$2 or application near key)near(authenticat$5)with(application or software or code or program)near(server or host) and (@ad<"20031218" @prad<"20031218" @rlad<"20031218")	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(key$2)near(deriv$6 or comput$5 or calculat$5)with(seed or random near number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((key$2)near(deriv$6 or comput$5 or calculat$5)with(seed or random near number)) and (authenticat$5)with(application)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((key$2)near(deriv$6 or comput$5 or calculat$5)with(seed or random near number)) and (@ad<"20031218" @prad<"20031218" @rlad<"20031218")	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
(layer near 2 near authenticat$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009

((layer near 2 near authenticat$5)) and (@ad<"20031218" @prad<"20031218" @rlad<"20031218")	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
((layer near 2 near authenticat$5) and (@ad<"20031218" @prad<"20031218" @rlad<"20031218")) and (key$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-13-2009
Chad near Fors.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-13-2009
Kashyap near Kamdar.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-13-2009
Rejesh near Pazhyannur.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-13-2009
Motorola.as. and (application near key and seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-13-2009
380/262.ccls.and (key$2)near(server or host) and (key$2)near(client or workstation)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-15-2009
380/259.ccls.and (first near key and second near key)	PGPB, USPT, EPAB, JPAB,	OR	YES		07-15-2009